Safety Data Sheet



SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Product form : Mixture

Product name : Silver Alloy 25, 25HC, 30, 35, 45, 50 (Solids)

Type of product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

: Professional use Main use category

Industrial/Professional use spec : For professional use only

Use of the substance/mixture : Brazing

Function or use category : Welding, cutting, heating and brazing.

Uses advised against

No additional information available

Details of the supplier of the safety data sheet



Weldtool Technologies Inc 2440 N. Glassell St., Unit X Orange, CA 92865 T (714) 646-7527 Info@weldtool.com www.weldtool.com

SECTION 2: Hazards identification

Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazardous to the aquatic environment — Chronic Hazard, Category 2 H411

Full text of H statements : see section 16

Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)

Signal word (CLP)

Hazard statements (CLP) : H411 - Toxic to aquatic life with long lasting effects

Precautionary statements (CLP) : P273 - Avoid release to the environment

P391 - Collect spillage

P501 - Dispose of contents/container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation

Child-resistant fastening Tactile warning : No

Other hazards

Adverse physicochemical, human health and

environmental effects

: None under normal conditions.

: Toxic to aquatic life with long lasting effects.

Other hazards not contributing to the

classification

Safety Data Sheet



SECTION 3: Composition/information on ingredients

Not applicable

3.2. **Mixture**

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Silver substance with a Community workplace exposure limit	(CAS No) 7440-22-4 (EC no) 231-131-3	20 - 60	Not classified
Cadmium substance listed as REACH Candidate	(CAS No) 7440-43-9 (EC no) 231-152-8	10 - 40	Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Full text of H-statements: see section 16

SECTION 4: First aid measures

Description of first aid measures

First-aid measures general : Get medical advice/attention if you feel unwell.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Get medical advice/attention.

First-aid measures after skin contact Wash skin with plenty of water. If skin irritation occurs: Get medical advice/attention. First-aid measures after eye contact

Rinse cautiously with water for several minutes. If eye irritation persists: Get medical

advice/attention.

First-aid measures after ingestion Rinse mouth. Do not induce vomiting. Get medical advice/attention. Call a poison center or a

doctor if you feel unwell.

Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation : May cause respiratory irritation.

Symptoms/injuries after skin contact : Repeated or prolonged contact may cause slight irritation to the skin.

Symptoms/injuries after eye contact : Dust from this product may cause eye irritation.

Symptoms/injuries after ingestion : May cause irritation to the respiratory tract and to other mucous membranes.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media : Dry powder. Use extinguishing media appropriate for surrounding fire.

Special hazards arising from the substance or mixture

Fire hazard : The product is not flammable. Explosion hazard : Product is not explosive.

: Not known. Reactivity in case of fire

Hazardous decomposition products in case of : Toxic fumes may be released.

5.3. Advice for firefighters

Precautionary measures fire : No special measures required.

Firefighting instructions : Use extinguishing media appropriate for surrounding fire.

Do not attempt to take action without suitable protective equipment. Self-contained breathing Protection during firefighting

apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

General measures : Avoid release to the environment.

6.1.1. For non-emergency personnel

Protective equipment : Wear suitable protective clothing, gloves and eye or face protection.

: Ventilate spillage area. Avoid contact with skin and eyes. Do not breathe dust, fume. Emergency procedures

6.1.2. For emergency responders

Protective equipment Do not attempt to take action without suitable protective equipment. Wear suitable protective clothing, gloves and eye or face protection. For further information refer to section 8: "Exposure

controls/personal protection". Avoid contact with skin and eyes. Do not breathe Dust, Fumes.

Emergency procedures : Ventilate area.

Safety Data Sheet



6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Place in an appropriate container and dispose of the contaminated material at a licensed site.

This material and its container must be disposed of in a safe way, and as per local legislation.

Other information : This material and its container must be disposed of as hazardous waste.

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For disposal of solid materials or residues refer to section 13: "Disposal considerations".

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment.

Hygiene measures : Always wash hands after handling the product. Do not eat, drink or smoke when using this

product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Ensure adequate ventilation, especially in confined areas.

Storage conditions : Store in a well-ventilated place. Keep cool.

Incompatible materials : Acetylene, ammonia, ammonium nitrate, aqua regia, dioxane, ethylene oxide, chlorine

trifluoride, halogens, hydrogen peroxide, hydrazine, hydrazine, mononitrate, hydrazoic acid, hydroxylamine, hydrogen sulfide, performic acid, phosphorus, selenium, sulfur, titanium plus potassium chlorate. Bromates, chlorates and iodates of alkali and alkali earth metals.

Storage area : Store in a well-ventilated place.
Packaging materials : Keep only in original container.

7.3. Specific end use(s)

Other hot work operations with metals.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Silver (7440-22-4)		
EU	Local name	Silver, metallic
EU	IOELV TWA (mg/m³)	0.1 mg/m³

8.2. Exposure controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Personal protective equipment : Gloves. Protective goggles. Face shield. Protective clothing.

Materials for protective clothing : Wear suitable protective clothing

Hand protection : Protective gloves

Eye protection : Wear tight fitting safety glasses or face shield. Safety glasses

Skin and body protection : Wear suitable protective clothing

Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment









Environmental exposure controls : Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Solic

Appearance : Silver-gray alloy. Metallic wire, rod, strip.

Colour : Silver.

Odour : odourless.

Odour threshold : No data available pH : No data available

Safety Data Sheet



Relative evaporation rate (butylacetate=1) : No data available Melting point : No data available Freezing point : Not applicable Boiling point : No data available Flash point Not applicable : Not applicable Auto-ignition temperature Decomposition temperature : No data available Flammability (solid, gas) : Non flammable : No data available Vapour pressure Relative vapour density at 20 °C : No data available Relative density : Not applicable Solubility insoluble in water. Log Pow No data available : Not applicable Viscosity, kinematic : No data available Viscosity, dynamic Explosive properties : Product is not explosive. Oxidising properties Oxidising solids Not applicable.

Explosive limits : Not applicable

Other information

No additional information available

SECTION 10: Stability and reactivity

Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

Chemical stability

Stable under normal conditions.

Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

Acetylene, ammonia, ammonium nitrate, aqua regia, dioxane, ethylene oxide, chlorine trifluoride, halogens, hydrogen peroxide, hydrazine, hydrazine, mononitrate, hydrazoic acid, hydroxylamine, hydrogen sulfide, performic acid, phosphorus, selenium, sulfur, titanium plus potassium chlorate. Bromates, chlorates and iodates of alkali and alkali earth metals.

Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

: Not classified (Based on available data, the classification criteria are not met) Acute toxicity

Cadmium (7440-43-9)	
LD50 oral	1140 mg/kg
LC50 inhalation rat (Dust/Mist - mg/l/4h)	0.0031 mg/l/4h
Skin corrosion/irritation	: Not classified (Based on available data, the classification criteria are not met)
	Contact dermatitis may result from direct exposure to the skin.
Serious eye damage/irritation	: Not classified (Based on available data, the classification criteria are not met)
Respiratory or skin sensitisation	: Not classified (Based on available data, the classification criteria are not met)
	Long-term exposure to brazing fume, gasses, or dust may contribute to pulmonary irritation or pneumoconiosis.
Germ cell mutagenicity	: Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity	: Not classified (Based on available data, the classification criteria are not met)
Reproductive toxicity	: Not classified (Based on available data, the classification criteria are not met)
Specific target organ toxicity (single exposure)	: Not classified (Based on available data, the classification criteria are not met)
Specific target organ toxicity (repeated exposure)	: Not classified (Based on available data, the classification criteria are not met)

Safety Data Sheet



: Not classified (Based on available data, the classification criteria are not met) Aspiration hazard

SECTION 12: Ecological information

Toxicity

: Toxic to aquatic life with long lasting effects. Ecology - general : Toxic to aquatic life with long lasting effects. Ecology - water

Persistence and degradability

Silver Alloy 25, 25HC, 30, 35, 45, 50 (Solids)	
Persistence and degradability	The product is not biodegradable.

12.3. **Bioaccumulative potential**

Silver Alloy 25, 25HC, 30, 35, 45, 50 (Solids)

Bioaccumulative potential Not established.

Mobility in soil

Silver Alloy 25, 25HC, 30, 35, 45, 50 (Solids)

Not established. Ecology - soil

Results of PBT and vPvB assessment 12.5.

Component	
Cadmium (7440-43-9)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII
	This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

Other adverse effects

Other adverse effects : None known.

Additional information : Avoid release to the environment

SECTION 13: Disposal considerations

Waste treatment methods

Regional legislation (waste) : Disposal must be done according to official regulations.

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions. Avoid release to the environment. Discharging into rivers and drains is forbidden. Dispose of Waste disposal recommendations

contents/container to a hazardous or special waste collection point.

Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

UN number 14.1.

UN-No. (ADR) : 3077 UN-No. (IMDG) : 3077 UN-No. (IATA) : 3077 UN-No. (ADN) : 3077 UN-No. (RID) : 3077

14.2. **UN proper shipping name**

Proper Shipping Name (ADR) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. Proper Shipping Name (IMDG) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

Proper Shipping Name (IATA) : Environmentally hazardous substance, solid, n.o.s.

: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. Proper Shipping Name (ADN) Proper Shipping Name (RID) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

: UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Cadmium(7440-Transport document description (ADR)

43-9)), 9, III, (E)

: UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S., 9, III, MARINE Transport document description (IMDG)

POLLUTANT/ENVIRONMENTALLY HAZARDOUS

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 9 Danger labels (ADR) : 9

Safety Data Sheet





IMDG

Transport hazard class(es) (IMDG) : 9
Danger labels (IMDG) : 9



IATA

Transport hazard class(es) (IATA) : 9
Hazard labels (IATA) : 9



ADN

Transport hazard class(es) (ADN) : 9
Danger labels (ADN) : 9



RID

Transport hazard class(es) (RID) : 9
Danger labels (RID) : 9



14.4. Packing group

Packing group (ADR) : III
Packing group (IMDG) : III
Packing group (IATA) : III
Packing group (ADN) : III
Packing group (RID) : III

14.5. Environmental hazards

Dangerous for the environment : Yes
Marine pollutant : Yes

Other information : No supplementary information available

14.6. Special precautions for user

- Overland transport

Classification code (ADR) : M7

Safety Data Sheet



Special provisions (ADR) : 274, 335, 601, 375

Limited quantities (ADR) : 5kg
Excepted quantities (ADR) : E1

Packing instructions (ADR) : P002, IBC08, LP02, R001

Special packing provisions (ADR) : PP12, B3

Mixed packing provisions (ADR) : MP10

Portable tank and bulk container instructions : T1, BK1, BK2

(ADR)

Portable tank and bulk container special

provisions (ADR)

: TP33

Tank code (ADR) : SGAV, LGBV

Vehicle for tank carriage : AT
Transport category (ADR) : 3
Special provisions for carriage - Packages : V13

(ADR)

Special provisions for carriage - Bulk (ADR) : VC1, VC2 Special provisions for carriage - Loading, : CV13

unloading and handling (ADR)

Hazard identification number (Kemler No.) : 90

Orange plates

90 3077

Tunnel restriction code (ADR) : E

- Transport by sea

Special provisions (IMDG) : 274, 335, 966, 967

Limited quantities (IMDG) : 5 kg

Excepted quantities (IMDG) : E1

Packing instructions (IMDG) : P002, LP02

Special packing provisions (IMDG) : PP12

IBC packing instructions (IMDG) : IBC08

IBC special provisions (IMDG) : B3

Tank instructions (IMDG) : T1, BK1, BK2, BK3

Tank special provisions (IMDG) : TP33
EmS-No. (Fire) : F-A
EmS-No. (Spillage) : S-F
Stowage category (IMDG) : A

Stowage and segregation (IMDG) : When transported in BK3 bulk container, see 7.6.2.12 and 7.7.3.9.

MFAG-No : 171

- Air transport

PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y956
PCA limited quantity max net quantity (IATA) : 30kgG
PCA packing instructions (IATA) : 956
PCA max net quantity (IATA) : 400kg
CAO packing instructions (IATA) : 956
CAO max net quantity (IATA) : 400kg

Special provisions (IATA) : A97, A158, A179, A197

ERG code (IATA) : 9L

- Inland waterway transport

Classification code (ADN) : M7

Special provisions (ADN) : 274, 335, 61

Limited quantities (ADN) : 5 kg

Excepted quantities (ADN) : E1

Carriage permitted (ADN) : T* B**

Equipment required (ADN) : PP, A

Number of blue cones/lights (ADN) : 0

7/8

Safety Data Sheet



Additional requirements/Remarks (ADN) : * Only in the molten state. ** For carriage in bulk see also 7.1.4.1. ** * Only in the case of

transport in bulk.

- Rail transport

Classification code (RID) : M7

Special provisions (RID) : 274, 335, 601

Limited quantities (RID) : 5kg
Excepted quantities (RID) : E1

Packing instructions (RID) : P002, IBC08, LP02, R001

Special packing provisions (RID) : PP12, B3

Mixed packing provisions (RID) : MP10

Portable tank and bulk container instructions : T1, BK1, BK2

RID)

Portable tank and bulk container special

provisions (RID)

: SGAV, LGBV

: TP33

Transport category (RID) : 3
Special provisions for carriage – Packages : W13

(RID)

Special provisions for carriage – Bulk (RID) : VW1

Special provisions for carriage - Loading,

unloading and handling (RID)

Tank codes for RID tanks (RID)

: CW13, CW31

Colis express (express parcels) (RID) : CE11
Hazard identification number (RID) : 90

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains a substance on the REACH candidate list in concentration ≥ 0.1% or with a lower specific limit: Cadmium (EC 231-152-8, CAS 7440-43-9) Contains no REACH Annex XIV substances

15.1.2. National regulations

Seveso directive 96/82/EC

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Full text of H- and EUH-statements:

Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects



Weldtool Technologies Inc 2440 N. Glassell St., Unit X Orange, CA 92865 T (714) 646-7527 Info@weldtool.com www.weldtool.com